

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:ACG-6-181

## Quality of life and symptoms of anxiety and depression in patients affected by ulcerative colitis

Published On: August 29, 2020 | Pages: 060 - 063

Author(s): Fernandes ACS, Tomazoni EI and Benvegnú DM\*

Introduction: Ulcerative Colitis (UC) is an Inflammatory Bowel Disease (IBD) that can be divided into two periods: active and remission. Individuals affected by this pathology can manifest symptoms of anxiety and depression, as well as low quality of life, due to the symptomatology of this disease when active. Objective: Demonstrate the relationship between anxiety a ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/2455-2283.000081](https://doi.org/10.17352/2455-2283.000081)

[Open Access](#) [Research Article](#) PTZAID:ACG-6-177

## Irritable bowel syndrome and small intestinal bacterial overgrowth: Assessment with breath test

Published On: May 30, 2020 | Pages: 041 - 048

Author(s): Costa LA\*, Gomes TNF, Braga CU, Lenz L, Miszputen SJ and Ambrogini O

Background: Irritable bowel syndrome (IBS) has been considered a functional disease, however evidences suggest organic abnormalities as disbiosis. The aim of this study was to evaluate bacterial overgrowth syndrome in IBS patients. Methods: Patients with IBS were submitted to the expired H<sub>2</sub> and CH<sub>4</sub> breath test, with analyzes of exhaled air in fasting (zero minutes) a ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/2455-2283.000077](https://doi.org/10.17352/2455-2283.000077)

[Open Access](#) [Research Article](#) PTZAID:ACG-6-176

## Chilean experience using “Theranostics” for treating metastatic neuroendocrine tumors with [177Lu]Lu DOTA-TATE

Published On: May 27, 2020 | Pages: 036 - 040

Author(s): Horacio Amaral\*, Rossana Pruzzo, René Fernández, Vasko Kramer, Cristian Soza-Ried and Irene Coudeu

Introduction: Well-differentiated, Neuroendocrine Tumors (NET) are highly heterogenic and slow-growing pathologies, characterized by unspecific symptomatology and elevated expression of somatostatin receptors (SSTR). Despite the high incidence of NETs, several patients are diagnosed in advance stages of the disease when surgery is insufficient to treat the pathology. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000076

[Open Access](#) | [Research Article](#) | PTZAID:ACG-6-174

## Clinical evaluation of children with celiac disease: A single-center experience

Published On: May 12, 2020 | Pages: 026 - 030

Author(s): Yasin Sahin\*

Background and objectives: The clinical findings of Celiac Disease (CD) change over time. Instead of classical symptoms such as diarrhea, growth retardation, abdominal bloating, atypical symptoms such as chronic constipation and abdominal pain may be the only sign of CD. In this study, we aimed to evaluate the clinical features of our patients with CD. Material and m ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000074

### Case Report

[Open Access](#) | [Case Report](#) | PTZAID:ACG-6-180

## Carcinoma cuniculatum of the esophagus-diagnostic and treatment dilemma

Published On: August 13, 2020 | Pages: 057 - 059

Author(s): Matheus Falasa, Alexander Ayzengart, Michael Walters, Xiuli Liu and Olusola Oduntan\*

Carcinoma cuniculatum is a rare variant of well-differentiated squamous cell carcinoma of the esophagus, with fewer than twenty cases reported in the literature [1]. Diagnosis is often delayed due to failure of endoscopic biopsies to yield a definitive tissue diagnosis. We present the case of a patient with carcinoma cuniculatum of the esophagus who was

misdiagnosed a ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000080

[Open Access](#) | [Case Report](#) | PTZAID:ACG-6-179

## A Case of Rapunzel Syndrome

Published On: July 27, 2020 | Pages: 054 - 056

Author(s): Krisztina Csuzi\*, Orsolya Boda, Robert Neumann and Gergely Peter Toth

Trichobezoar is a concretion of chewing and swallowing hair or any other indigestible materials that accumulate in the gastrointestinal tract. Rapunzel syndrome refers to a rare condition when a gastric trichobezoar extends into the small bowel. We describe the case of a 16-year-old female who presented with chronic abdominal pain, loss of appetite and weight loss. Ba ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000079

[Open Access](#) | [Case Report](#) | PTZAID:ACG-6-178

## Gastrointestinally mediated food allergy causing Spondyloarthritis-like disease

Published On: July 15, 2020 | Pages: 049 - 053

Author(s): Raithel M, Finzel S, Heussinger N\*, Rieker RJ and Baenkler HW

Gastrointestinally-mediated food allergy (GMA) incidentally may cause non-erosive oligoarthritis. A 56-year-old woman with seronegative spondyloarthritis observed arthritic flares following ingestion of certain foods. Blood analyses were unremarkable. Segmental gut lavage revealed plasmacellular infiltrates and eosinophilia in terminal ileum. Food allergen-specific I ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000078

[Open Access](#) | [Case Report](#) | PTZAID:ACG-6-173

## Non-surgical acute cholecystitis: 2 cases of gallbladder rupture after internal endoscopic or percutaneous diversion

Published On: May 05, 2020 | Pages: 022 - 025

Author(s): Lorenzo Monfardini\*, Claudio Sallemi, Nicolo' Gennaro and Claudio Bna

Gallbladder rupture is a rare but serious complication of acute cholecystitis. We describe two cases of acute cholecystitis

in patients not candidate for surgery that underwent internal biliary drainage with endoscopic and percutaneous approach, respectively. Both experienced gallbladder rupture in the postoperative period. The complication occurred after percutaneou ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000073

## Short Communication

[Open Access](#) | [Short Communication](#) | PTZAID:ACG-6-175

### **Clinical effects of Lactobacillus strains as probiotics in the treatment of irritable bowel syndrome. Results from the LAPIBSS trial: Future objectives**

Published On: May 18, 2020 | Pages: 031 - 035

Author(s): Jean-Michel Maixent\*, Olivier Pons, Souad R Sennoune and Stéphane Sadrin\*

The objective of this communication is to present and analyze the recent results from the LAPIBSS study in order to improve future clinical trials on the effects of Lactobacillus strains in the treatment of irritable bowel syndrome (IBS).

Using a tightly-controlled clinical trial protocol with the highest Jadad score of 5/5, the current trial aimed to demonstrate the ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-2283.000075