2017 | Volume Volume - 2 - Issue Issue - 2

In this issue

Research Article

Open Access Research Article PTZAID:ACN-2-114

Illness Perception and Hopelessness in Hemodialysis

Published On: November 08, 2016 | Pages: 044 - 048

Author(s): Mukadder Mollaoglu*, Ferhan Candan and Muratcan Mollaogl

Background: Illness perception is useful in understanding the impact of hopelessness on ESRD patients. This perception has been found to be an important determinant of behavior and has been associated with a number of important outcomes such as treatment adherence and functional recovery and quality of life. ...

Abstract View Full Article View DOI: 10.17352/acn.000014

Open Access Research Article PTZAID:ACN-2-113

Some Aspects of the Evaluation of Brush Border Enzymuria Originating from Proximal Renal Tubules as Screening Test in Patients with Psoriatic Arthritis

Published On: October 26, 2016 | Pages: 038 - 043

Author(s): Dejan Spasovski*

Aim: To compare diagnostic values and laboratory variables of alanine - aminopeptidase (microsomale AAP), -glutamyl transferase (GT),2-microglobuline (2-M), C Reactive Protein (CRP) and index for disease activity (PASI) in early diagnosis in previously untreated Psoriatic arthritis (Psa). To determine the effect of untreated Psoriatic arthritis on tubular functio ...

Abstract View Full Article View DOI: 10.17352/acn.000013

Case Report

Open Access Case Report PTZAID:ACN-2-115

ANCA-Associated Vasculitis in Patient with CREST-Syndrome - Case Report

Published On: November 12, 2016 | Pages: 049 - 052

Author(s): Zakharova EV*, Makarova TA and Stolyarevich ES

Background: ANCA-associated vasculitis is a small vessel necrotizing vasculitis with few or no immune deposits, necrotizing glomerulonephritis is very common in the microscopic poliangiitis subset. Systemic scleroderma renal involvement is included neither in the current classification criteria, nor in the definition of CREST-syndrome. ...

Abstract View Full Article View DOI: 10.17352/acn.000015

Open Access Case Report PTZAID:ACN-2-112

Estimate and Evaluation of Drug Nephrotoxicity Caused with Most Used Medicals in Patients with Rheumathoid Arthritis

Published On: October 08, 2016 | Pages: 032 - 037

Author(s): Dejan Spasovski*

Aim: To estimate the effect of initial therapy with Paracetamol (Acetaminophenum) and nonsteroidal anti-inflamatory drugs (Ketoprofenum) on glomerular and tubular integrity in patients with Rheumatoid arthritis (RA), to quantify toxicity of these drugs through measurements of the enzyme excretion that correlates with the damage degree on the tubular epithelium. Microa ...

Abstract View Full Article View DOI: 10.17352/acn.000012

Open Access Case Report PTZAID:ACN-2-111

Rapidly Progressive Glomerulonephritis Associated with Systemic Lupus Erythematosus

Published On: August 22, 2016 | Pages: 028 - 031

Author(s): Jastrzbska K*, Gozdowska J, Perkowska-Ptasiska A and Durlik M

Lupus nephritis is a frequent manifestation of multisystem autoimmune disease - Systemic Lupus Erythematosus and a significant cause of both acute renal injury and the end stage renal disease. Renal involvement is observed in approximately 60% of patients with SLE. ...

Abstract View Full Article View DOI: 10.17352/acn.000011

Open Access Case Report PTZAID:ACN-1-110

Antiphosphlipid Syndrome Presented with Renovascular Hypertension

Published On: June 16, 2016 | Pages: 026 - 027

Author(s): Savas Ozturk, Mukremin Uysal, Fulya Cosan, Banu Buyukaydin*, Murat Inanc, Reyhan Diz-Kucukkaya, Isn Klcarslan, Aydin Turkmen, Rumeyza Kazancioglu

Renovascular pathologies are one of the treatable causes of hypertension. Antiphospholipid syndrome develops owing to a heterogeneous group of antiphospholipid antibodies which causes various thrombotic problems. This entity may effects very small vessels and sometimes leads to hypertension. ...

Abstract View Full Article View DOI: 10.17352/acn.000010