

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:JGRO-5-164

## Predictors of successful fitting of vaginal pessary for female pelvic organ prolapse

Published On: April 01, 2019 | Pages: 017 - 021

Author(s): Farah Wali Lone\* and Joanne Palmer

Introduction and Hypothesis: There is variable evidence on predictors of successful fitting of vaginal pessary for female pelvic organ prolapse (POP). This study evaluates measures that may predict successful pessary fitting for POP. We hypothesized that previous hysterectomy and higher body mass index (BMI) do not affect the ability to retain a pessary and that POPQ ...

[Abstract View](#) [Full Article View](#) DOI: 10.17352/jgro.000064

[Open Access](#) [Research Article](#) PTZAID:JGRO-5-163

## Status of Prenatal Assistance services for Syphilis Infected Pregnant Women on Region of Baixada Santista, Sp, Brazil

Published On: March 28, 2019 | Pages: 013 - 016

Author(s): Roberto Focaccia\*, Patricia Gomes Di Napoli, Karla Fabiana Begosso Sampaio da Fonseca Carbonari, Aline

Andruskevicius de Castro, Agatha Rossi Dias, Amanda Machado Amaral de Freitas, Ana Carolina C Cossich, Allyne Fernandes Couto, Beatriz Bandini Gonçalves, Bruna Oliveira Ambrogi, Camila Salles Lopes, Carolina Zavatini Pereira, Leticia Villela Quirino de Souza, Laís Ribeiro Santos, Luiza Thienne Colombo, Marília Paliato, Suzana Helena Martins Mesquita and Ilham El Maerrawi

Objective: To analyze the status used in prenatal assistance on pregnant women infected with syphilis, of São Vicente, general region of Santos, SP, Brazil. Methods: This was a descriptive cross-sectional study, retrospective study in the medical records of 162 patientes, between 2014 and 2016, in basic health units. ...

[Abstract View](#) [Full Article View](#) DOI: 10.17352/jgro.000063

[Open Access](#) [Research Article](#) PTZAID:JGRO-5-162

## Are visceral adiposity index and ultrasonographic visceral fat thickness measurements correlated to endometrial thickness in postmenopausal women?

Published On: February 26, 2019 | Pages: 009 - 012

Author(s): Fatma Eskicioglu\*, Muhammet Sakp Eskicioglu and Beyhan Ozyurt

Objective: During the postmenopausal period, visceral fat tissue is responsible not only for increased cardiometabolic risk, but also for endocrine function leading to increased endometrial thickness (ET). The current study aimed to 1) determine the predictive value of ultrasonographic visceral fat thickness (VFT) and the visceral adiposity index (VAI), which is defin ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/jgro.000062

[Open Access](#) [Research Article](#) PTZAID:JGRO-5-160

## Evaluation of the histopathology results of patients operated due to Ovarian Mass

Published On: January 05, 2019 | Pages: 001 - 004

Author(s): Pervin Karl\* and Asuman Kilitci

Introduction: Ovarian masses quite frequently appear before us in gynecological practice. In the present study, our purpose was to determine the types and age range of masses detected in ovarian surgeries in and around the city of Krsehir. Material and Methods: The study was conducted in the retrospective fashion on the pathology reports of 93 patients, who had his ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/jgro.000060

### Review Article

[Open Access](#) [Review Article](#) PTZAID:JGRO-5-161

## Midwifery in Health Care System

Published On: February 18, 2019 | Pages: 005 - 008

Author(s): Siniša Franji\*

The midwife provides health care for pregnant women and womans in labor and take care for newborn childs and infants. It can also work in gynecological departments by providing basic nursing care to women with reproductive system diseases. The midwife is a health care professional whose field of work is maternity and gynecological health care. It

plays an important ro ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/jgro.000061](#)